

Educational Workshop: Assessment and Management of Progressive Aphasia in the Frontotemporal Dementias

Karen Croot

School of Psychology
University of Sydney

Cathleen Taylor

PPA and Related Disorders Clinic
War Memorial Hospital



References

- Beales, A., Cartwright, J., Whitworth, A., & Panegyres, P.K. (2016). Exploring generalisation processes following lexical retrieval intervention in primary progressive aphasia. *International Journal of Speech-Language Pathology*. DOI: 10.3109/17549507.2016.1151936
- Billette, O. V., Sajjadi, S. A., Patterson, K., & Nestor, P. J. (2015). SECT and MAST: new tests to assess grammatical abilities in primary progressive aphasia. *Aphasiology*, 29(10), 1135-1151.
- Bourgeois et al. (2016). Will You Still Need Me When I'm 64, or 84, or 104? The Importance of Speech-Language Pathologists in Promoting the Quality of Life of Aging Adults in the United States into the Future. *Seminars in Speech and Language*, 37, 185-200.
- Carthery-Goulart, M. T., da Silveira, A. da C., Machado, T. H., Mansur, L. L., Parente, M. A. de M. P., Senaha, M. L. H., . . . Nitrini, R. (2013). Nonpharmacological interventions for cognitive impairments following primary progressive aphasia. *Dementia and Neuropsychology*, 7, 122-131.
- Carver, C. S. (1997). You want to measure coping but your protocol is too long: Consider the brief cope. *International Journal of Behavioral Medicine*, 4(1), 92-100.
- Cho-Reyes, S., & Thompson, C. K. (2012). Verb and sentence production and comprehension in aphasia: Northwestern Assessment of Verbs and Sentences (NAVS). *Aphasiology*, 26(10), 1250-1277.
- Croot, K., Taylor, C., Abel, S., Jones, K., Krein, L., Hameister, I., Ruggero, L., & Nickels, L. (2015). Measuring gains in connected speech following treatment for word retrieval: a study with two participants with primary progressive aphasia. *Aphasiology*, 29, 1265-1288.
- Dabul, B. (2000). *Apraxia Battery for Adults*. (2nd Ed.) Austin: Pro-Ed.
- Dementia Collaborative Research Centre (2015) *The IPA Complete Guides to BPSD – Specialists Guide*. Available from <https://www.ipa-online.org/publications/guides-to-bpsd>

References for Croot, K & Taylor, C. (2016) PPA Educational workshop: Assessment and management of progressive aphasia in the frontotemporal dementias. Presented at the 10th International Conference on FTD, Munich, 31 August- 2 Sept 2016.

Dickerson, B. (2011). Quantitating severity and progression in primary progressive aphasia. *Journal of Molecular Neuroscience*, 45, 618-628.

Douglas, J. T. (2014). Adaptation to early-Stage nonfluent/agrammatic variant primary progressive aphasia: A first-person account. *American Journal of Alzheimer's Disease and other Dementias*, 1533317514523669.

Egan, M., Bérubé, D., Racine, G., Leonard, C., & Rochon, E. (2010). Methods to enhance verbal communication between individuals with Alzheimer's disease and their formal and informal caregivers: A systematic review. *International Journal of Alzheimer's Disease*, doi:10.4061/2010/906818.

Finocchiaro, C., Maimone, M., Brighina, F., Piccoli, T., Giglia, G., & Fierro, B. (2006). A case study of primary progressive aphasia: improvement on verbs after rTMS treatment. *Neurocase*, 12(6), 317-321.

Fridriksson, J., Hubbard, H. I., Hudspeth, S. G., Holland, A. L., Bonilha, L., Fromm, D., & Rorden, C. (2012). Speech entrainment enables patients with Broca's aphasia to produce fluent speech. *Brain*, 135(12), 3815-3829.

Glindemann, R., Klintwort, D., Ziegler, W. & Goldenberg, G. (2002) *Bogenhausener Semantik-Untersuchung (BOSU) Taschenbuch*. Munich: Urban & Fischer.

Gorno-Tempini, M.L., Hillis, A., Weintraub, S, Kertesz, A., Mendez, M., Cappa, S.F., . . . Grossman, M. (2011). Classification of primary progressive aphasia and its variants. *Neurology*, 76, 1-9.

Hameister, I., Nickels, L., Abel, S., & Croot, K. (2016). "Do you have mowing the lawn?" – improvements in word retrieval and grammar following constraint-induced language therapy in primary progressive aphasia. *Aphasiology*, 1-24.

Heitkamp, N., Schumacher, R., Croot, K., de Langen, E. G., Monsch, A. U., Baumann, T., & Danek, A. (2016). A longitudinal linguistic analysis of written text production in a case of semantic variant primary progressive aphasia. *Journal of Neurolinguistics*, 39, 26-37.

Henry, M. L., Meese, M. V., Truong, S., Babiak, M. C., Miller, B. L., & Gorno-Tempini, M. L. (2013). Treatment for apraxia of speech in nonfluent variant primary progressive aphasia. *Behavioural Neurology*, 26(1-2), 77-88.

Hersh, D. (1998). Beyond the 'plateau': Discharge dilemmas in chronic aphasia. *Aphasiology*, 12(3), 207-218.

Hodges, J. R., Martinos, M., Woollams, A. M., Patterson, K., & Adlam, A. L. R. (2008). Repeat and point: differentiating semantic dementia from progressive non-fluent aphasia. *Cortex*, 44(9), 1265-1270.

Hopper, T. L. (2003). "They're just going to get worse anyway": perspectives on rehabilitation for nursing home residents with dementia. *Journal of Communication Disorders*, 36(5), 345-359.

Howard, D., Swinburn, K., & Porter, G. (2010). Putting the CAT out: What the Comprehensive Aphasia Test has to offer. *Aphasiology*, 24(1), 56-74.

References for Croot, K & Taylor, C. (2016) PPA Educational workshop: Assessment and management of progressive aphasia in the frontotemporal dementias. Presented at the 10th International Conference on FTD, Munich, 31 August- 2 Sept 2016.

- Hsieh, S., Schubert, S., Hoon, C., Mioshi, E., & Hodges, J. R. (2013). Validation of the Addenbrooke's Cognitive Examination III in frontotemporal dementia and Alzheimer's disease. *Dementia and Geriatric Cognitive Disorders*, 36(3-4), 242-250.
- Huber, W., Poeck, K., Weniger, D., & Willmes, K. (1983). *Aachener Aphasie Test*. Göttingen: Hogrefe.
- Jokel, R., Anderson, N., Black, S., Rochon, E., Freedman, M., Chow, T., & Tang-Wai, D. (2011). Neuroplasticity in dementia following language intervention: Illusion or possibility. *Alzheimer's and Dementia*, 7, S754–S755. doi:10.1016/j.jalz.2011.05.2168
- Jokel, R., Graham, N. L., Rochon, E., & Leonard, C. (2014). Word retrieval therapies in primary progressive aphasia. *Aphasiology*, 28(8-9), 1038-1068.
- Karageorgiou, E., & Miller, B. L. (2014, April). Frontotemporal lobar degeneration: a clinical approach. In *Seminars in Neurology*, 34(2), 189-201. Thieme Medical Publishers.
- Kay, J., Lesser, R., & Coltheart, M. (1996). Psycholinguistic assessments of language processing in aphasia (PALPA): An introduction. *Aphasiology*, 10(2), 159-180.
- Kindell, J., Sage, K., & Cruice, M. (2015). Supporting communication in semantic dementia: clinical consensus from expert practitioners. *Quality in Ageing and Older Adults*, 16(3), 153-164.
- Kortte, K. B., & Rogalski, E. J. (2013). Behavioural interventions for enhancing life participation in behavioural variant frontotemporal dementia and primary progressive aphasia. *International Review of Psychiatry*, 25(2), 237-245. doi: <http://dx.doi.org/10.3109/09540261.2012.751017>
- Le Rhun, E., Richard, F., & Pasquier, F. (2005). Natural history of primary progressive aphasia. *Neurology*, 65(6), 887-891.
- Leyton, C. E. & Hodges, J.R. (2014). Differential diagnosis of primary progressive aphasia variants using the international criteria. *Aphasiology* 28(8-9): 909-921.
- Leyton, C. E., Villemagne, V. L., Savage, S., Pike, K. E., Ballard, K. J., Piguet, O., ... & Hodges, J. R. (2011). Subtypes of progressive aphasia: application of the international consensus criteria and validation using β -amyloid imaging. *Brain*, 134(10), 3030-3043.
- Longley, W. A., Tate, R. L., & Brown, R. F. (2012). A protocol for measuring the direct psychological benefit of neuropsychological assessment with feedback in multiple sclerosis. *Brain Impairment*, 13(02), 238-255.
- McNeil, M. R., & Duffy, J. R. (2001). Primary progressive aphasia. In R. Chapey, (Ed) *Language Intervention Strategies in Aphasia and Related Neurogenic Communication Disorders*, 472-486.
- Mahendra, N., & Arkin, S. (2003). Effects of four years of exercise, language, and social interventions on Alzheimer discourse. *Journal of Communication Disorders*, 36(5), 395-422.
- McKinnon, C., O'Connor, C. M., Savage, S., Hodges, J. R., & Mioshi, E. (2013). Qualitative results of a structured group program for carers of people with frontotemporal dementia. *International Journal of Geriatric Psychiatry*, 28(2), 217-218.
- Meinzer, M., Rodriguez, A. D., & Rothi, L. J. G. (2012). First Decade of Research on
- References for Croot, K & Taylor, C. (2016) PPA Educational workshop: Assessment and management of progressive aphasia in the frontotemporal dementias. Presented at the 10th International Conference on FTD, Munich, 31 August- 2 Sept 2016.

Constrained-Induced Treatment Approaches for Aphasia Rehabilitation. *Archives of Physical Medicine and Rehabilitation*, 93(1), S35-S45

Mioshi, E., McKinnon, C., Savage, S., O'Connor, C. M., & Hodges, J. R. (2013). Improving burden and coping skills in frontotemporal dementia caregivers: A pilot study. *Alzheimer Disease and Associated Disorders*, 27(1), 84-86.

Morhardt, D., Weintraub, S., Khayum, B., Robinson, J., Medina, J., O'Hara, M., ... & Rogalski, E. J. (2015). The CARE pathway model for dementia: psychosocial and rehabilitative strategies for care in young-onset dementias. *Psychiatric Clinics of North America*, 38(2), 333-352.

O'Connor, C. M., Ahmed, S., & Mioshi, E. (2014). Functional disability in primary progressive aphasia. *Aphasiology*, 28(8-9), 1131-1149.

Pulvermüller, F., Neininger, B., Elbert, T., Mohr, B., Rockstroh, B., Koebbel, P., & Taub, E. (2001). Constraint-induced therapy of chronic aphasia after stroke. *Stroke*, 32(7), 1621-1626.

Roche, L., Croot, K., MacCann, C., Cramer, B., & Diehl-Schmid, J. (2015). The Role of Coping Strategies in Psychological Outcomes for Frontotemporal Dementia Caregivers. *Journal of Geriatric Psychiatry and Neurology*, 28(3), 218-228.

Rogalski, E. J., Saxon, M., McKenna, H., Wieneke, C., Rademaker, A., Corden, M. E., ... & Khayum, B. (2016). Communication Bridge: A pilot feasibility study of Internet-based speech–language therapy for individuals with progressive aphasia. *Alzheimer's & Dementia: Translational Research & Clinical Interventions*, 2(4), 213-221.

Rogers, M. A., King, J. M., Alarcon, N., (2000). Proactive management of primary progressive aphasia. In D. Beukelman, K. Yorkston, & Reichle, J. (Eds) *Augmentative and alternative communication for adults with acquired neurologic disorders*, pp 305-337.

Rutherford, S. (2014). Our journey with primary progressive aphasia. *Aphasiology*, 28(8-9), 900-908.

Sajjadi, S. A., Patterson, K., Arnold, R. J., Watson, P. C., & Nestor, P. J. (2012). Primary progressive aphasia A tale of two syndromes and the rest. *Neurology*, 78(21), 1670-1677.

Sotaniemi, M., Pulliainen, V., Hokkanen, L., Pirttilä, T., Hallikainen, I., Soininen, H., & Hänninen, T. (2012). CERAD-neuropsychological battery in screening mild Alzheimer's disease. *Acta Neurologica Scandinavica*, 125(1), 16-23.

Strand, E. A., Duffy, J. R., Clark, H. M., & Josephs, K. (2014). The apraxia of speech rating scale: a tool for diagnosis and description of apraxia of speech. *Journal of Communication Disorders*, 51, 43-50.

Sapolsky, D., Domoto-Reilly, K., Negreira, A., Brickhouse, M., McGinnis, S., & Dickerson, B. (2011). Monitoring progression of primary progressive aphasia: current approaches and future directions. *Neurodegenerative Disease Management*, 1(1), 43-55.

Sapolsky, D., Domoto-Reilly, K., & Dickerson, B. C. (2014). Use of the Progressive Aphasia Severity Scale (PASS) in monitoring speech and language status in PPA. *Aphasiology*, 28(8-9), 993-1003. doi: 10.1080/02687038.2014.931563

References for Croot, K & Taylor, C. (2016) PPA Educational workshop: Assessment and management of progressive aphasia in the frontotemporal dementias. Presented at the 10th International Conference on FTD, Munich, 31 August- 2 Sept 2016.

Savage, S., Hsieh, S., Leslie, F., Foxe, D., Piguet, O., & Hodges, J. R. (2013). Distinguishing subtypes in primary progressive aphasia: application of the Sydney language battery. *Dementia and Geriatric Cognitive Disorders*, 35(3-4), 208-218.

Summers, A. & Cartwright, J. (2016) Enablers of a positive journey with primary progressive aphasia. *Journal of Clinical Practice in Speech-Language Pathology*, 18(1), 15-18.

Swivel, M (2011) *Water Falling Down*. Pdf accessed from <https://australianplays.org/script/ASC-1174>. 3 Jan 2013.

Taub, E., Crago, J. E., & Uswatte, G. (1998). Constraint-induced movement therapy: A new approach to treatment in physical rehabilitation. *Rehabilitation Psychology*, 43(2), 152-170.

Taylor, C., Miles-Kingma, R.M., Croot, K., Nickels, L. (2009). Speech pathology services for primary progressive aphasia: Exploring an emerging area of clinical practice. *Aphasiology*, 23(2), 161-174.

Taylor, C., Croot, K., Power, E., Savage, S.A., Hodges, J.R & Togher, L. (2014). Trouble and repair during conversations of people with primary progressive aphasia. *Aphasiology*, 28(8-9), 1069-1091.

Volkmer, A. (2013) *Assessment and Therapy for Language and Cognitive Communication Difficulties in Dementia and Other Progressive Diseases*. Guildford, UK: J&R Press.

Warrington, E. K. (1997). The graded naming test: a restandardisation. *Neuropsychological Rehabilitation*, 7(2), 143-146.

Weintraub, S., Mesulam, M. M., Wieneke, C., Rademaker, A., Rogalski, E. J., & Thompson, C. K. (2009). The Northwestern Anagram Test: measuring sentence production in primary progressive aphasia. *American Journal of Alzheimer's Disease and other Dementias*, 24(5): 408–416.

WHO (2002) *Towards a common language for functioning, disability and health: ICF. ICF Training Beginner's Guide*, downloaded from <http://www.who.int/classifications/icf/icfaptraining/en/index.html>. Accessed 9Feb2012.